DOOR KNOCKERS

Solid Brass

86060-

BALDWIN DOOR KNOCKERS

COLONIAL 6.5" x 3.5" C/C of bolts: Available w/C	4" Dbserv-O-Scope	e*	Ŋ
<u>Code</u> 0102-003 0102-150	<u>Finish</u> Lifetime Pol. E Satin Nickel	Brass	<u>List/ea</u> \$ 74.81 63.69
VICTORIAN		π	
7" x 3.5" C/C of bolts: Available w/ (6.437" Observ-O-Scop	e*	Į,
<u>Code</u> 0110-003	<u>Finish</u> Lifetime Pol. E	Brass	<u>List/ea</u> \$ 93.01
* Special Orde	r		
EMTEK DOO Special Order Solid Brass 2620 Urn Style 7-1/2" H x 3-13/16" W	R KNOCKERS	2621 Narrow Style 7-1/2" H x	
0 10/10 1	V W	2-3/4" W	¥
Available finish	10 nes: Polished E	2-3/4" W Brass (US3), Oil F	
Available finish Bronze 86059 3" Dia.	10 nes: Polished E	2-3/4" W Brass (US3), Oil F S10B), Satin Nick 86060 4" Dia.	
Available finish Bronze 86059 3" Dia. Available in Fla Code	nes: Polished B Bronze (U The second	2-3/4" W Brass (US3), Oil F S10B), Satin Nick 86060 4" Dia. d. Bronze (MB)	kel (US15)
Available finish Bronze 86059 3" Dia. Available in Fla	nes: Polished B Bronze (U	2-3/4" W Brass (US3), Oil F S10B), Satin Nick 86060 4" Dia. d. Bronze (MB) rn Style	kel (US15)

Bronze, 4" Ring Pull

BALDWIN HOUSE NUMBERS
5" High, Solid Brass

Solid forged brass house numbers are designed for easy readability. Height: 5". Surface applied with truss head wood screws to facilitate installation.



<u>Code</u>	<u>Ctn</u>	<u>003</u>	<u>102</u>	<u>150</u>
0670-	5 ea.	\$ 23.25	\$ 20.22	\$ 20.22
0671-	5 ea.	23.25	20.22	20.22
0672-	5 ea.	23.25	20.22	20.22
0673-	5 ea.	23.25	20.22	20.22
0674-	5 ea.	23.25	20.22	20.22
0675-	5 ea.	23.25	20.22	20.22
0676-	5 ea.	23.25	20.22	20.22
0677-	5 ea.	23.25	20.22	20.22
0678-	5 ea.	23.25	20.22	20.22
0679-	5 ea.	23.25	20.22	20.22

Finish Codes: 003 - Lifetime Polished Brass 102 - Oil Rubbed Bronze 150 - Satin Nickel

52.00

DOOR VIEWERS

BELL BUTTONS

BALDWIN OBSERV-O-SCOPE

The exterior lens is constructed of a scientific glass to prohibit scratching while exceeding a 160° field of vision. For door thicknesses: 1.312 to 2.25". Lens diameter: 1/2"

Polybagged, 10 each per box.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0155-030	Polished Brass	\$ 15.17
0155-260	Polished Chrome	15.17

IVES DOOR VIEWER

Door Thickness: 1-3/8" to 2-1/8" Angle of View: 190° Bore: 9/16" Lens projects 1/4" from face of door. 4 optical glass lenses. Solid brass body and barrel. One-way vision.



U698

0155

10 ea/ Ctn.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
U698B3	Polished Brass	\$ 18.60
U69826D	Dull Chrome	18.60

EMTEK DOOR VIEWER - Special Order Solid Brass

200° wide viewing angle. Fits door thickness from 1-3/8" to 2". Hole dia: 5/8".

Available in Polished Brass (US3), Oil R Bronze (US10B) and Satin Nickel (US15).



<u>Code</u>	<u>Description</u>
2610-	Solid Brass Door Viewer

BALDWIN ELECTRICAL BELL BUTTONS

Solid Brass





Round



No. 4850

No. 4851





Rectangular

No. 4853



Large Oval No. 4858

Designed to accessorize Baldwin entrance locksets. Solid brass. A brass ring surrounds the plastic push button for added strength and is finished in US4 only.

The antique white button is always illuminated for detection at night. Fasteners included.

<u>Code</u>	<u>Finish</u>	<u>Size</u>	<u>List/ea</u>
4850-003	Pol Brass	1.75" dia.	\$ 51.56
4850-150	Satin Nickel	1.75" dia.	44.48
4851-003*	Pol Brass	1.75" dia.	48.53
4851-150	Satin Nickel	1.75" dia.	41.45
4852-003	Pol Brass	2" x 1.125"	48.53
4852-050*	Satin Brass/Blk	2" x 1.125"	41.45
4852-150	Satin Nickel	2" x 1.125"	41.45
4853-003	Pol Brass	2.25" x 1"	39.43
4853-102	Oil R Bronze	2.25" x 1"	33.36
4853-260	Pol Chrome	2.25" x 1"	33.36
4853-150	Satin Nickel	2.25" x 1"	33.36
4853-264	Dull Chrome	2.25" x 1"	33.36
4858-003 4858-102 4858-150 4858-151 4858-260	Pol Brass Oil R Bronze Satin Nickel Ant Nickel Pol Chrome	3" x 1.7" 3" x 1.7" 3" x 1.7" 3" x 1.7" 3" x 1.7" 3" x 1.7"	

\$ 16.00 Special Order

List/ea

BOMMER




<u>Finishes</u>

628 - Aluminum Anodized 988 - Gold Anodized Aluminum

• Horizontal Dimensions

Number of compartments	Number of Units	Wall Cutout Minimum Width Inches	Width Over Frame Inches	Suggested Combina- tions
3	1	17-3/8"	18-5/8"	
4	1	22-7/8"	24-1/8"	
5	1	28-3/8"	29-5/8"	
6	1	33-7/8"	35-1/8"	
7	1	39-3/8"	40-5/8"	
8	2	47	48-1/4"	4-4
9	2	52-1/2"	53-3/4"	5-4
10	2	58	59-1/4"	5-5
11	2	63-1/2"	64-3/4"	6-5
12	2	69	70-1/4"	6-6
13	2	74-1/2"	75-3/4"	7-6
14	2	80	81-1/4"	7-7
15	3	87-5/8"	88-7/8"	5-5-5
16	3	93-1/8"	94-3/8"	5-6-5

Formula to Determine Width of Cutout for Gang Combinations not Scheduled




APARTMENT MAILBOXES

BOMMER VERTICAL APARTMENT MAILBOXES

Minimum: 3 compartments per Unit Maximum: 7 compartments per Unit Depth: Approximately 6"

	Compart-		
<u>Code</u>	<u>ments</u>	<u>Finish</u>	<u>List/ea</u>
9040-3-628	3	Aluminum Anod.	247.46
9040-3-988	3	Gold Anod. Alum.	328.60
9040-4-628	4	Aluminum Anod.	335.85
9040-4-988	4	Gold Anod. Alum.	376.47
9040-5-628	5	Aluminum Anod.	395.31
9040-5-988	5	Gold Anod. Alum.	411.01
9040-6-628	6	Aluminum Anod.	467.72
9040-6-988	6	Gold Anod. Alum.	493.32

• Vertical Dimensions



MACMURRAY PACIFIC

MAILBOX LOCKS

BOMMER MAILBOX MOUNTING FRAME For the 9040 Mailbox



Designed to permit mounting of standard mailbox units in locations where recessed mounting is not practical. Made of aluminum. Will accomodate a single mailbox unit having 3 to 7 compartments.

	Compartment		
<u>Code</u>	<u>Capacity</u>	<u>Finish</u>	<u>List/ea</u>
9341-3-628	3	Alum. Anod.	\$ 59.70
9341-4-628	4	Alum. Anod.	69.78
9341-5-628	5	Alum. Anod.	77.87
9341-6-628	6	Alum. Anod.	88.83

COMPX/NATIONAL LOCK MAILBOX LOCK

8713

Keyed Different, 25/box, CCW = counter clockwise, 14A = Nickel Plate.



<u>Code</u> C8713-14A-KD <u>Operation</u> Cam left, 90° ccw turn

<u>List/ea</u> \$ 7.89

BOMMER REPLACEMENT MAILBOX LOCK



3-Tumbler mailbox lock with 2 keys. Can be supplied with 210 key changes. Lock has steel bolt, and case and brass tumblers.

BOMMER APARTMENT MAILBOX KEY KEEPER



Permits the use of automatic-locking street entrance doors for apartments; maintains security, but allows mailman to enter building to distribute mail in conformance with United States Postal Service regulations. Arrow lock for key keeper is installed and furnished by U.S. Postal Service. 1 per box.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
5621-628	Anod. Aluminum	\$ 107.79

<u>Code</u> 25389 <u>Ctn</u> 1/box <u>List/ea</u> \$ 11.12

MAIL PLATES

IVES MAIL PLATE

Spring-loaded Cover



Overall Size: 13" x 13-9/16". Inside Opening: 11" x 2".

Conforms to postal regulations. Heavy gauge rust-free aluminum. Handcrafted durable brass finish. Weathertight spring-loaded interlocking flap. One per card with wood screws. 5 cards per box.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
620PA28	Aluminum	\$ 37.41

BALDWIN MAGAZINE SIZE PLATE

Spring Tension Design, Weatherproof



Made of heavy gauge wrought brass. Overall: 10" x 3". Inside Opening: 8.25" x 2.375".

Specially designed for use on exposed doors to prevent wind from driving rain and snow through the slot. Bronze spring keeps flap tightly shut & permits vertical installation. A sleeve (0050-324) is available for hollow core doors.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0015-003	Lifetime Pol. Brass	\$ 112.22
0015-264	Dull Chrome	96.05
0015-150	Satin Nickel	96.05

BALDWIN MAIL PLATE SLEEVES



Stainless Steel, fits 1.75" thick doors. 1 set/box with sheet metal screws.

0050= 8.06"L x 2.25"W x 1.69"D 0052= 11.38"L x 2.75"W x 1.69"D

<u>Code</u>	<u>Fits Mail Plate:</u>	<u>List/ea</u>
0050-324	0015, 0017	\$ 32.35
0052-324	0012, 0014	36.40

BALDWIN PACKAGE SIZE PLATE

Spring Tension Design, Weatherproof



Made of heavy gauge wrought brass. Overall: 13" x 3.625". Inside Opening: 11.5" x 2.8".

Large Opening will accommodate catalogs & small packages. Close fit of flap provides weathertight installation. Bronze spring keeps flap tightly shut & permits vertical installation. A sleeve (0052-324) is available for hollow core doors. 1/box with wood screws. Metal & machine screws & sex bolts are available at an extra charge.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0012-003	Lifetime Pol. Brass	\$ 89.98
0012-050	Satin Brass/Black	75.83
0012-102	Oil R Bronze	75.83
0012-150	Satin Nickel	75.83
0012-264	Dull Chrome	75.83

EMTEK MAIL SLOT - Special Order

Solid Brass

13-1/16" L x



3-3/8" Height, 5/8" Proj.

2280

Complete set includes both exterior and interior trims and wood screws. Available in Polished Brass (US3), Oil R Bronze (US10B) and Satin Nickel (US15).

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
2280-	Solid Brass Mail Slot	\$ 78.00